Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form)



Form Approved

29 CFR 1910.1200. Standard must be	F	orm Approved	i			
consulted for specific requirements.		MB No. 1218-				olished by ChemSW™, Inc. (707)864-
DENTITY RESIN FIBER DISC	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.					
YPE "Ceramic Type - X"		information is	avaliable	, trie space rr	iust be marked to inc	исате тпат.
Section I						
Manufacturer's Name	E	mergency Telep	phone N	lumber		
GEMTEX ABRASIVES			5605			
Address (Number, Street, City, State, and ZIP Code) Telephone Number for Information						
234 BELFIELD ROAD		16 245 ate Prepared	5605			
TORONTO, ONTARIO		11-Jul-1	4			
	Si	gnature of Prep		otional)		
19W 1H3, CANADA				,		
Section II - Hazardous Ingredients/Iden	tity Information					
Jazardous Components (Specific Chemical Identity	r Common Namo(s)	OSHA PEL	Λ.	CGIH TLV	Other Limit	
Hazardous Components (Specific Chemical Identity					Recommend	
/ULCANIZED FIBER	N	/A	N/A		N/A	45-70
ALUMINA CERAMIC	1	5 mg/m3	10	mg/m3	1344-28-1	1050
BINDER SYSTEM	N	/A	N/A	•	N/A	13-25
CRYOLITE Na3Alf6	1	5 mg/m3	2	mg/m3	15096-523	6.0-15
	2	.5 mg/m3	· 2 E	ma/m3	¿14075-53-	7 6.0-15
POTASSIUM FLUOROBORATE KBF4		. 5 (119/1113	(2.3	3:		
POTASSIUM FLUOROBORATE KBF4		. 5 (119) (115	(2.3			
Section III - Physical/Chemical Charact	eristics					
Section III - Physical/Chemical Charact	eristics	pecific Gravity (
Section III - Physical/Chemical Charact	eristics	pecific Gravity (N/A
Section III - Physical/Chemical Charact	eristics N/A					·
Section III - Physical/Chemical Charact Soiling Point 'apor Pressure (mm Hg)	eristics N/A N/A	pecific Gravity ((H2O = 1			N/A
Section III - Physical/Chemical Charact Soiling Point /apor Pressure (mm Hg)	eristics N/A N/A N/A	pecific Gravity (elting Point	(H2O = 1			N/A
Section III - Physical/Chemical Charact Soiling Point /apor Pressure (mm Hg) /apor Density (AIR = 1)	eristics N/A N/A N/A	pecific Gravity ((H2O = 1			·
Section III - Physical/Chemical Charact Soiling Point /apor Pressure (mm Hg) /apor Density (AIR = 1) Solubility in Water IJ/A	eristics N/A N/A N/A	pecific Gravity (elting Point	(H2O = 1			N/A
Section III - Physical/Chemical Charact Soiling Point /apor Pressure (mm Hg) /apor Density (AIR = 1) Solubility in Water I/A Appearance and Odor	eristics N/A N/A N/A	pecific Gravity (elting Point	(H2O = 1			N/A
Section III - Physical/Chemical Charact Soiling Point Vapor Pressure (mm Hg) Vapor Density (AIR = 1) Solubility in Water I/A Appearance and Odor	eristics N/A N/A N/A	pecific Gravity (elting Point	(H2O = 1			N/A
Section III - Physical/Chemical Charact Boiling Point Vapor Pressure (mm Hg) Vapor Density (AIR = 1) Solubility in Water J/A Appearance and Odor Green backing-odorless	eristics N/A N/A N/A E- N/A (E	pecific Gravity (elting Point	(H2O = 1			N/A
Section III - Physical/Chemical Charact Boiling Point Vapor Pressure (mm Hg) Vapor Density (AIR = 1) Solubility in Water N/A Appearance and Odor Green backing-odorless Section IV - Fire and Explosion Hazard Flash Point (Method Used)	eristics N/A N/A N/A EN/A (E	pecific Gravity (elting Point	(H2O = 1		LEL	N/A
Section III - Physical/Chemical Charact Boiling Point Vapor Pressure (mm Hg) Vapor Density (AIR = 1) Solubility in Water N/A Appearance and Odor Green backing-odorless Section IV - Fire and Explosion Hazard	eristics N/A N/A N/A EN/A (E	pecific Gravity (elting Point vaporation rate tutyl Acetate = 7	(H2O = 1			N/A N/A

Unusual Fire and Explosion Hazards

Backing & resin binderwillburn ordecom pose. Use respiratory protection.

Special Firefighting Procedures

N/A

Section V -	Reactivity Da	ta							
Stability	Unstable		Conditions to Avoid						
	Stable	х	No applicable infor	mation found					
Incompatibility (Materials to Avo	d)							
	Hazardous Decomposition or Byproducts During use, dust and fumes are generated, generally more from material being ground.								
Hazardous Polymerization	May Occur		Conditions to Avoid						
	Will Not Occur	Х	No applicable infor	mation found					
Section VI -	Health Haza	d Da							
Route(s) of Entr		u De	Inhalation?	Skin?	Ingestion?				
Nuisance o		irak		<pre>Abrasion - 15mg/m3, may irritate</pre>	Not known nor recommended eyes, elevated sound				
level dur	ing use on	son	ne metal / jobs.						
Carcinogenicity:	:		NTP? N/A	IARC Monographs?	OSHA Regulated?				
Signs and Symp	otoms of Exposuse coughin	e g ar	nd shortness of brea	th due to dust, may affe	ect breathing, may cause				
			may irritate eyes.						
Medical Conditions Generally Aggravated by Exposure N/A									
Emergency and First Aid Procedure Remove to fresh air if needed, wash eyes with water, obtain first aid or medical assistant									
as deemed	necessary								
Section VII -	Precautions	for	Safe Handling and Use						
Steps to be Tak	en in Case Mate	rial is	Released or Spilled						
W . D	NA 41								
Waste Disposal Method No special procedure required, standard landfill consistance with applicable federal, state									
and local laws. Precautions to be Taken in Handling and Storage									
				n) and OSHA 29C FR 1910	.1000 (air contaminates)				
Storage: Av		eat	source. Ideally at	35% - 50% RH and 60 - 70	O deg. F with ventilation.				
		rasi	ve Mfg. Institute)	guidelines, follow tool	guidelines.				
	- Control Me		es						
Respiratory Protection (Specify Type) As required - approve dust respirator OSHA 24C FR 1910.134									
Ventilation	Local Exhaust Recommende			Special No applicable informati	ion found				
	Mechanical (Ge	neral)		Other No applicable informati					
Protective Glove	es								
Other Protective Clothing or Equipment									
Protective clothing recommended to cover exposed skin									
Work/Hygenic Practices Eye/face/hearing protection - (ANSI std. Z87.1) OSHA 29CFR 1910.133 , OSHA 29CFR 1910.134									