Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved



consulted for specific requirements.

OMB No. 1218-0072

Forms Published by ChemSW $^{\rm TM}$, Inc. (707)864-0846

IDENTITY SURFACE PREP. (DISC, BELT, ROLLS)	Note: Blank spaces are not permitted. If any item is not applicable, or no
TYPE V. FINE	information is available, the space must be marked to indicate that.
Section I	
Manufacturer's Name/ Supplier's name	Emergency Telephone Number
Gemtex abrasives	(416) 245 5605
Address (Number, Street, City, State, and ZIP Code)	Telephone Number for Information
234 Belfield Road	(416) 245 5605
	Date Prepared
Toronot, M9W 1H3	04-Jul-14
	Signature of Preparer (optional)
Canada	Dinesh Patel

Section II - Hazardous Ingredients/Identity Information

OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
N/A	N/A	N/A	5.0-60
15 mg/m3	10 mg/m3	409.21.2	5.0-35
N/A	N/A	N/A	1065
N/A	N/A	N/A	00-40
N/A	N/A	N/A	5.0-25
	N/A 15 mg/m3 N/A N/A	N/A N/A 15 mg/m3 10 mg/m3 N/A N/A N/A N/A	OSHA PEL ACGIH TLV Recommended N/A N/A N/A 15 mg/m3 10 mg/m3 409.21.2 N/A N/A N/A N/A N/A N/A

Section III - Physical/Chemical Characteristics

Boiling Point		Specific Gravity (H2O = 1)	
	N/A		N/A
Vapor Pressure (mm Hg)		Melting Point	
	N/A		N/A
Vapor Density (AIR = 1)		Evaporation rate	
	N/A	(Butyl Acetate = 1)	N/A

Solubility in Water

N/A

Appearance and Odor

Green backing-odorless

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
N/A		N/A	N/A

Extinguishing Media

Water spray, Co2, Foam, Dry chemical or any class A extinguishing agent

Special Firefighting Procedures

Backing & resin binderwillburn ordecom pose. Use respiratory protection.

Unusual Fire and Explosion Hazards

N/A

Section V - Reactivity Data						
Stability	Unstable		Conditions to Avoid			
	Stable	Х	No applicable inform	mation found		
Incompatibility (ncompatibility (Materials to Avoid)					
	omposition or By e, dust an			generally more from mate	erial being ground.	
Hazardous Polymerization	May Occur		Conditions to Avoid			
	Will Not Occur	Х	No applicable inform	mation found		
Section VI -	Health Haza	rd Da	ata			
Route(s) of Entr	y:			Skin?	Ingestion?	
Health Hazards Nuisance			fume/dust during use ole - 5mg/m3, total -	- 15mg/m3, may irritate	Not known nor recommended eyes, elevated sound	
level dur	ing use on	son	ne metal / jobs.			
Carcinogenicity:				IARC Monographs? N/A	OSHA Regulated? N/A	
Could caus		g ar	nd shortness of breat	th due to dust, may affe	ect breathing, may cause	
Medical Condition			N/A			
	First Aid Proced fresh air		needed, wash eyes wi	ith water, obtain first	aid or medical assistant	
as deemed	necessary					
Section VII -	Precautions	for	Safe Handling and Use			
Steps to be Tak	en in Case Mate	rial is	Released or Spilled			
Waste Disposal	Mathad					
		e re	equired, standard lar	ndfill consistance with	applicable federal, state	
and local		lling o	and Storago			
Precautions to be Taken in Handling and Storage Handling: OSHA 29cC FR 1910-94 (ventilation) and OSHA 29c FR 1910.1000 (air contaminates)						
Other Precautions Use CAMI (Coated Abrasive Mfg. Institute) guidelines, follow tool guidelines.						
Section VIII - Control Measures Respiratory Protection (Specify Type)						
As required - approve dust respirator OSHA 24C FR 1910.134						
Ventilation	Local Exhaust Recommend			Special No applicable informati	ion found	
	Mechanical (Ge Recommende			Other No applicable informati	on found	
Protective Gloves Recommended						
Other Protective Clothing or Equipment Protective clothing recommended to cover exposed skin						
Work/Hygenic Practices						
Eye/face/hearing protection - (ANSI std. Z87.1) OSHA 29CFR 1910.133 , OSHA 29CFR 1910.134						